

App. F. IX-4

1924

File No. 96-24

Previous References

(L B)

LB 111-2382, 3, 11
222

Serial Nos. 8, 12

15, 16, 19, 20, 21.

Later References



General and Revenue Secretariat.

Serial Nos.

Part B for Dec 26

SUBJECT

Maintenance charges of the Soladarama
Lathi Dispensary

-
21. To, The Chief Engineer, the President, Dist^r
B^d. B^dore, through the D. G., the Senior Engineer,
the Comptroller to Govt.
No 3456-60/d 27-11-26
2-12-26.
passes order in the matter
of the adjustment of the dispensary
charges in the matter.

HS
18/12/27.

42843


WD 1212-GPB-1920-22-12-24

No.

14504

MYSORE PUBLIC WORKS DEPARTMENT,
CENTRAL OFFICE,

Dated Bangalore, 20 April 1925.



JOHN BHORE, Esq., A.M.I.C.E., Etc.,
Chief Engineer of Mysore,
Bangalore.

To

B. Nagappa, Esq., Bar-at-Law.,

Secretary to Government,

Local and Legislative Departments,

B a n g a l o r e.

SIR,

Adverting to G.O.No.L.2419-22/L.B.111-23-22 dated the 18th September 1924 directing that the maintenance charges of the dispensary at Soldevannahalli Pumping Station, should be divided equally between the Assistant Commanding Royal Engineer and the Water Supply Department, I have the honour to forward herewith a copy of letter No.2126 dated the 31st March 1925 from the Assistant Commanding Royal Engineer, declining to accept the charge and I agree with him.

I therefore request that you will be so good as to obtain the orders of Government to meet the maintenance charges of Rs 172 as shown below: since the District Board have declined to meet the charge though the surroundings villages are benefited.

Assistant Commanding Royal Engineer.....	Rs 60
Water Supply Department	Rs 112
	<u>Rs 172</u>

er ft functioning as per local
aff.

27/4/25

I have the honour to be,
Sir,
Your most obedient servant,

John Bhole
20-4-25
Chief Engineer of Mysore.

11/3/25

2 It was stated in para 5, that the ^{running} charges of the dispensary should be advised & divided equally between Asst Comd Royal Engrs & Water Supply Dept.
 3 The Chief Engineer's letter is silent as to the reduction of charge; whether any reduction is not possible. No known information need be called for before agreeing to the appropriation now proposed. The reply of the Asst Comd Engineer to contribute only Rs 007- has perhaps to be accepted.

L. L. Singh

27/4
 88
 30/4

8832
 1/5

4 D. W. Singh

I find that the charges were ordered to be divided equally under the Secy's order & this modification has also to be ^{therefore} subord to him
 5 Before doing so, please ascertain from the Chief Engr the exact basis of facts on which the Asst Comd R.E. accepted to pay Rs 007 (with copies of correspondence) & the facts on which Chief Engineer ~~now~~ relies for his opinion that he agrees with the A.C.R.E.

27/5/25

6 D. W. Singh

27/5

7 D. W. Singh

5/5/25

8 D. W. Singh



Serial
No

15

Letter No 8308 18.7.25 from the Chief Eng
States that the no of villages re-
ceiving treatment at the Dispensary daily was
from 18 to 20 so far back as 1923 and that the
number must have been decidedly increased
now and that it is on this account that he
agrees with the Assistant Commanding Royal
Engⁿ.

9 This of course, which led to the coming
up of the quota of Rs 60/- payable by the C. & R.
Station has not been met as called for.

10 The Chief Engⁿ states that he agrees
with the Assistant Commanding Royal Engⁿ in
declining to pay anything more than Rs 60/-
towards the maintenance charge of the Dispensary
in view of the fact that the people of
the surrounding villages are also benefited
therefrom.

11 The Chief Engⁿ requests that the District
Board may be moved to pay this quota
of the charge in question.

12 In his letter of the 20th April 1925, the
Chief Engⁿ had expressed his willingness
to bear the balance of Rs 112/- including the
quota of Rs 60/- payable by A.C. R. Engⁿ.

13 Submitted for orders. In this
connection attention is respectfully invited

L.B File No. 96 of 1924

General and Revenue Secretariat.

Serial No.

Page 2

to the late Post members minutes, stating that the argument that ^{the} villagers benefit by the dispensary, ^{was} not sufficient to compel the District Board to contribute towards its cost.

14 Submitted for order, 14 June

42 30.7.25 30/25 15 L. L. (1925)

16 20/7/25

20 21/7

1046 5/8

17 Please write D.B. President attention to their previous report & pay 1/3 to chair. & when they are back on our side altho several villages are benefited. The A.C.R.E. proposal make accepted. D.B. as regard his share. D.B. persist in refusal to pay, that will also have to be met by Chief Magr.

100 7/10/25

80 8/8

18 Don't know

20 8/8

19

Subd with draft. It is for orders whether the draft is report agreeing to the A.C.R.E. proposal as regards his share may not be put up after this. Best furnish his reply.

Can't say right 10/10/25

12/8 13/8/25

Serial
No.

Revised draft as per instructions subd

Sal 1598
16875

25.2.24 (24)

28
17/8

22/2/24

25 July issue

be
20/8/24

15/8/24

1639

19.8.

16

note 1598 of 31.9.25. 28/9 President DSD Bangalore, inquires why the District Board have gone back on their resolution passed at their meeting held on 11.5.1923 in the matter, agreeing to contribute a third of the cost of the maintenance of the Dispensary.

GENERAL REVENUE SECRETARIAT
4 SEP. 1925
LOCAL SECT. GOVT. BANGALORE

20

Letter no. C 1156/23-24 of 24/25. of 26 from the President, Dist Board of Bangalore.

Submit a copy of the resolution of the Dist Board agreeing to contribute Rs 25/- a month towards the maintenance charges of the Dispensary.

If the maintenance charges of this Dispensary will amount to Rs 172/- a month, out of which the C.M. Station will contribute Rs 6/-, and the Water Supply Dept Rs 6/- and the balance of Rs 45/- will have to be borne by the Bangalore District Board. But the District Board have now agreed to pay Rs 25/- only owing to this

Serial
No.

their for finances and the balance of Rs 20/-
will have to be borne by the Water Supply Dept.

Submitted for orders with ref to

para 17 Supra.

25 The Chief Engineer has
4/6/26 has again to be considered
whether under the circum-
stances represented by the D.
As the A.P.D.'s contribution to
pay only Rs 10 has to be accepted
vide para 4 & 17 Supra

4/10/26

26 With reference to para 17
of the order regarding the maintenance
charges of the Dispensary at L.D. Dumbak
Pumping Station, the Member has of
opinion that the views of the A.P.D.
Commanding Royal Engineer for contribution
by the Cantonment Water Supply Department
must of Rs 10 only has to be accepted.
As regards the contribution by the D.P.
A.P.D. has not have now voluted to pay
only Rs 25 out of Rs 45 they were
required to contribute, and they
have suggested the contribution by
part of the balance. They mean perhaps
contribution by the M.D. Department.
The Senior Engineer has may perhaps

Serial
No.

to Committee and also the Med. Sec.
of N.H., the water supply Dept.
will have to pay Rs 67 + Rs 20

Fish Member)

28
5/10/26

of the balance made found
from Med Budget if

the Secy has no objection.

Not worth while pressing the B.B.
again, I think.

3904
7/10

C.120
N
15.10.26

28.10.26 (Secy)
with Comptroller.

108
5/10


84
15.10.

28
15/10

29. I have no objection.

h

15.10.26



30. A Dept will be put up.
in the Commence of the Med. Sec.

in the
also

Fish Member)

28
15/10.

4290
17.10

31. 108
15/10

32. I have no objection.

28
15/10

33. I have no objection.

28
25/10/26

34. To Med. Sec., in Commence

28
25/10

General and Revenue
Secretariat

File No.

[App. F. III-2

of 1924.

Serial
No.

The draft on file has perhaps been somewhat amplified. The Senior Surgeon has to be requested to specify over the amount from which the medical portion of the charge could be met from the current year's grants to the medical dept and the Comptroller ~~estimated~~ and the Senior Surgeon requested to make provision for this expenditure in the medical budget for the next & subsequent years. The Comptroller's copy has perhaps been communicated thro' the J. L. Sectt.

Sd/- for order

Cb.

3-10/26 The draft may kindly
be modified as above

Don't fear
L.S.G.
Wing Comptroller

2113
8/11

Wagon

1454

WD 01264-GPB-40,000-17-12-25

General and Revenue
Secretariat

File No.

86

[App. F. III-2]

of 1926.

Serial
No.

37 Necessary alterations have been inserted in
the draft in the file for app.

38 The papers have been
sent to the Dewan who in view
of the opinion of the previous Dewan
the para 21 of the rules to Ld's file
of 1923 as to appointment
of change of the dispensary.
Which is now proposed to be altered

Ld Secy)

39. 1st Mar

102
23/11

20
16/11

21
19/11

For same?

The Secy has agreed. Para 29 - Taluk.
Subs with dfr & fair copies

11/12/26 HK 11226

By 2/12

To, J. M. C. P. H. L.

Ld 4278/dated 2/12/26

21

E.O. No. 8466-60 of 27.11.26/2.02.26 to Ld

Chief Secy

and J
Gardner.

in the matter of the dispensary.
The dispensary charges is

60

UBJECT

Section *P B*

File No. *95-24*

Serial No. *12*

Diary No. of letter replied to *1543*

No. *L8061*

General and Revenue Secretariat

(*L 8.7*)

, the *192*

To

Mr. Chief, Dept. of Agr.

Date of issue

9-5-25

S. S.

Signed by

Mr. D. S. S.

Reference to the letter of the 1st inst. to the effect that the Government of India have decided to take steps to improve the condition of the soil in the various provinces.

It is requested that you may be good enough to furnish the necessary information regarding the same.

for info information

List of enclosures

1. The letter of the 1st inst. to the effect that the Government of India have decided to take steps to improve the condition of the soil in the various provinces. 2. The letter of the 1st inst. to the effect that the Government of India have decided to take steps to improve the condition of the soil in the various provinces. 3. The letter of the 1st inst. to the effect that the Government of India have decided to take steps to improve the condition of the soil in the various provinces.

Copied by

[Signature]

Examined by

11

to pay 25% towards the maintenance
I've read deposition and together
with information ^{as to the facts} ~~regarding the~~ ^{circum-}
stances on which you rely for
your opinion that you agree with
the Adm Comy. Arch Eng.

How to

W.B.S.
for L.L.S.
JMK
5525

4-5.

4

Letter no.2126 dated the 31st March 1925 from the Assistant Commanding Royal Engineer, Bangalore, to the Chief Engineer of Mysore.

I have the honour to acknowledge your letter no.13187 dated the 24th March 1925 and to state that it does not appear that the station Water Supply has received value over and above the Rs 60 per month already agreed upon and that therefore I cannot accept a change in excess of that amount in default of further information. The cost of benefits given to surrounding villages can hardly be considered a charge against the Station Water Supply.

"True Copy"

M. Narasimhaiah
For Chief Engineer of Mysore.

V.N.S.

E

3

27/8

15

Diary No. of letter replied to

5017

Section

LB

File No.

96-24

Serial No.

16

No.

21578.000

To

The President Dist Bd Bangalore

Mrs' M. C. Bangalore

Sir,

General and Revenue Secretariat

(

)

the

192

Date of issue

3/9/25

Signed by

T. K. S

I am directed to forward
herein letter No 830 of 18.7.25
from the Chief Engineer of Mysore
in regard to the adjustment
of the maintenance charge of
the Dispensary at Solderaichalli
Pumping Station and to enquire
why the Dist Bd have
back on their resolution ^{needed at}
~~this meeting held on 11.5.1903,~~
agreeing to contribute a third
of the cost of maintenance of
the Dispensary (particulars)
As it has been useful to several
villages are benefited by the Dispensary.

~~Sanctioned in J.C. No. 22419/224 B 44-2322 of 18.7.25~~

List of enclosures

Copied by

Examined by

although general
villages are benefited by the Dispensary.

vide your letter No 1153 of 14.8.25

Resolutions passed at a meeting of the
DB are binding on succeeding Dist Board
& can be rescinded only for adequate reasons

over

~~Very~~ ^{11/2} ~~round about~~ A very
early reply is requested

I have to

W
17/8

Insect for

L. H. O. P. H.

AM

16825

